

Selectable LED Glass Wall Pack Light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W



The Selectable LED Glass Wall Pack Lighting Series can be widely used for Indoor or Outdoor (Wet Location) Excellent for Museums, Art Galleries, Shopping Malls, Office Buildings, Walls and many other applications.

**WATT/CCT
SELECTABLE**



ROHS
COMPLIANT



Features:

- Lumileds LED, high luminous efficiency and long working life .
- High efficiency LED Driver, the wide range input voltage AC120-277V.
- Die Cast aluminium cooling design, high quality and better cooling for LED Tj < 85°C .
- Excellent Optics design, greatly improve the light utilization and evenness.
- **The 1-10V Dimming type is continuous.**

Packaging information:

❖51105

❖51107


Carton Size:390MM X 235MM X 290MM (1Pcs/CTN)
(15.36" X9.26" X11.42")

SPECIFICATION								
TYPE	#51341				#51342			
WATTAGE	28W	42W	56W	70W	48W	72W	96W	120W
LUMEN	4800 lm	6393 lm	7880 lm	9808 lm	6990 lm	10447 lm	13422 lm	16767 lm
EFFICACY	> 150 lm/W							
CCT	3000K,4000K,5000K							
CRI	> 70							
INPUT VOLTAGE	AC120-277V							
LIGHTING ANGLE	96.2X110.5°				99.5X105.4°			
FACTORY SETTINGS	70W & 4000K				120W & 4000K			
LED TYPE					2835			
PF					> 0.95			
DRIVER EFFICIENCY					> 89%			
PROTECTION LEVEL					WET			
WORKING TEMPERATURE					-22°F ~ 113°F			
LIFE TIME					> 50000 hours			
WARRANTY					5 year limited			

Selectable LED Glass Wall Pack Light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

DIMENSION:



Specifications:

Shell materials: Aluminum & PC.

Finish: Dark Bronze(Standard)

Net weight : 10.2(lbs)

Product Size:

360.8mmX235.5mmX183.3mm

14.20"X9.27"X7.22"

Control Module:



WATT/CCT
SELECTABLE




Selectable CCT

Three position sliding switch
3000K / 4000K / 5000K



Selectable Power

Four position sliding switch
100% / 80% / 60% / 40%




Selectable LED Glass Wall Pack Light


Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

PHOTOMETRICS:


#51341 (28W&4000K)



#51341 (42W&4000K)



#51341 (56W&4000K)




Selectable LED Glass Wall Pack Light


Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

PHOTOMETRICS:


#51341 (70W&4000K)



#51342 (48W&4000K)



#51342 (72W&4000K)




Selectable LED Glass Wall Pack Light

Wattages: 28W,42W,56W,70W;48W,72W,96W,120W

PHOTOMETRICS:

#51342 (96W&4000K)



#51342 (120W&4000K)

