


SELECTABLE LED COMMERCIAL DOWNLIGHT


Wattages:(4")5.5W/8W/12W;(6")7W/10W/18W;(8")10W/15W/22W;(9.5")20W/25W/32W

SELECTABLE LED COMMERCIAL DOWNLIGHT can be widely used in indoor lighting (Damp location) suitable for office, indoor playground, Hotel, shop, indoor entertainment places, and other indoor place.



FEATURES

- Energy efficient: save up to 80% in energy costs
- High lumen output
- Mercury-free
- Instant-on light
- 50,000 hours at 70% lumen maintenance rated life
- CCT:3000K/3500K/4000K
- 5 years manufacturer warranty
- Compatible with most Lutron and Leviton dimmers
- The 1-10V Dimming type is continuous




SPECIFICATION				
TYPE	#31383	#31384	#31385	#31381
WATTAGE	5.5W/8W/12W	7W/10W/18W	10W/15W/22W	20W/25W/32W
LUMEN	480 lm/709 lm/1028 lm	756 lm/1062 lm/1606 lm	1067 lm/1560 lm/2073 lm	2172 lm/2643 lm/3200 lm
EFFICACY	> 90 lm/W	> 100 lm/W	> 100 lm/W	> 100 lm/W
SIZE	4 inch	6 inch	8 inch	9.5 inch
CCT	3000K,3500K,4000K			
POWER FACTOR	> 0.9			
CRI	> 90			
INPUT VOLTAGE	AC120-277V			
LIGHTING ANGLE	90			
FACTORY SETTINGS	12W & 4000K	18W & 4000K	22W & 4000K	32W & 4000K
LED TYPE	2835			
CERTIFICATE	UL,Energy Star, ja8			
LIFE TIME	50000 hours			
PROTECTION LEVEL	Wet Location			
IC RATING	Type IC			
WARRANTY	5 year limited			

SELECTABLE LED COMMERCIAL DOWNLIGHT

Wattages:(4")5.5W/8W/12W;(6")7W/10W/18W;(8")10W/15W/22W;(9.5")20W/25W/32W

DIMENSION



	H	D	D1	D2
4 inch	108 mm(4.25 inch)	Φ98.89 mm (Φ3.89 inch)	Φ151 mm(Φ5.94 inch)	Φ98 mm(Φ3.85 inch)
6 inch	130 mm(5.12 inch)	Φ153.33 mm(Φ6.04 inch)	Φ210 mm(Φ8.27 inch)	Φ152 mm(Φ5.98 inch)
8 inch	148 mm(5.82 inch)	Φ187.59 mm(Φ7.39 inch)	Φ260 mm(Φ10.23 inch)	Φ188 mm(Φ7.40 inch)
9.5 inch	162 mm(6.37 inch)	Φ217.63 mm(Φ8.57 inch)	Φ292 mm(Φ11.49 inch)	Φ217 mm(Φ8.54 inch)

ITEM #	#31383	#31384	#31385	#31381
NT. WEIGHT	0.90 lbs	1.30 lbs	1.51 lbs	1.75 lbs
BOX DIM.	12.6" x 12.6" x 10" (8 Pcs/CTN)	17.2" x 8.7" x 11.7" (4 Pcs/CTN)	21.1" x 10.6" x 13.1" (4 Pcs/CTN)	123.6" x 11.8" x 14.2" (4 Pcs/CTN)


SELECTABLE LED COMMERCIAL DOWNLIGHT

Wattages:(4")5.5W/8W/12W;(6")7W/10W/18W;(8")10W/15W/22W;(9.5")20W/25W/32W

PHOTOMETRICS

For complete IES files, please visit our website.

#31385



#31381

